

Laboratory Door Sign Request

Date _____

General Information

Building:	Rm:
-----------	-----

Contact

Office Phone

Emergency Phone (24 hr number)

Principal Investigator:			
Alternate 1:			
Alternate 2:			

Hazard

Indicate each hazard in your lab based on the following

<input type="checkbox"/>	Biohazard	Contains any agent that is capable of causing disease in humans, plants or animals <i>Indicate Biosafety Containment Level:</i> <input type="checkbox"/> BSL-1 <input type="checkbox"/> BSL-2
<input type="checkbox"/>	Carcinogen	Suspected carcinogens are in use.
<input type="checkbox"/>	Compressed Gas	Rooms or cabinets contain compressed gases.
<input type="checkbox"/>	Corrosive	Corrosive liquids in total quantities greater than 2 liters in use.
<input type="checkbox"/>	Flammable	Flammable liquids in total quantities greater than 2 liters in use, contains a flammable gas or flammable storage cabinet.
<input type="checkbox"/>	High Voltage	Equipment capable of generating high-voltages (> 420 volts) in the course of its operation
<input type="checkbox"/>	Laser	Laser(s) in use: <i>Indicate Laser Classification:</i> <input type="checkbox"/> Class 3B <input type="checkbox"/> Class 3R <input type="checkbox"/> Class 4 <i>Other:</i>
<input type="checkbox"/>	Oxidizer	Oxidizers in quantities greater than 1 gallon in use.
<input type="checkbox"/>	Radioactive	Any amount of radioactive material is in use: <i>Indicate:</i> <input type="checkbox"/> Open Source <input type="checkbox"/> Sealed Source
<input type="checkbox"/>	Toxic	Material rated toxic in quantities greater than 10 pounds in use.
<input type="checkbox"/>	X-Ray	List the type of equipment in use: <input type="checkbox"/> Dental <input type="checkbox"/> Fluro <input type="checkbox"/> XRD <i>Other:</i>
<input type="checkbox"/>	Water Reactive	Any chemicals in the lab that could violently react with water: <i>Submit list to EH&S</i>
<input type="checkbox"/>	No Custodial Services Required	Room should not be entered for cleaning due to potential hazards in the lab.

Add any laboratory-specific information for Emergency Responders:

--

Send completed form to EH&S: **Email:** ehsdept@odu.edu / **Fax:** 683-6025 / **Campus Mail:** Spong Hall, Suite 2501